



New Guard Coatings Group

A global reputation to protect.

The information herewith is given with the best of New Guard Coatings Group knowledge.

Rights are reserved to change and update the data without notice.

This information is not exhaustive and it is the user's responsibility to ensure that this data sheet is the most current by contacting their local New Guard Coatings Group branch prior to using the coating/product.

www.newguardcoatings.com

NORTH • SOUTH EAST • MIDLANDS • NORTH WEST • HULL • SCOTLAND

Guard AG - Aggregate



Technical Data Sheet

Product Description:

Light coloured quartz silica sand pieces that are washed, dried and dedusted.

Typical Uses:

Applied as part of a floor coating system to give anti-slip properties by means of a rough finish.

Practical Information:

Fine Grade	Particle Size: 0.1-0.2mm
Coarse Grade	Particle Size: 0.7-1.2mm
Pack Size	3kg Tins and 25kg Bags
Colour	Buff
Material	Silica Sand
Shelf-Life	Unlimited (if unopened)

Application:

Material should be scattered evenly by hand following application of a first coat of paint, before brushing-up any loose particles, and then applying a second coat once the first has suitably cured.

Alternatively the product can be applied by thoroughly mixing it in with the coating prior to application by brush or roller. This method lends itself to experienced painters, and when the paint is going to be applied shortly after the addition of material, otherwise it is prone to settle out in the can.

Application of the paint or coating should always be carried out in accordance with their own specific product data sheets and MSDS.

Compatibility:

Guard AG is designed to be used in conjunction with floor coatings, such as conventional single pack materials like Guard FP, Guard SPU or more durable two component products such as Guard EPX-2K.

Storage:

Product should be stored in a cool, dry and well-ventilated area, the same condition as most paints and coatings. If stored correctly and free from both dust and moisture, product has an unlimited shelf-life.

Handling:

Product should always be handled in conjunction with manual handling risk assessments, especially in the larger pack sizes.

Review

Document Reference: A1AG1.1
Version Date: December 2023
Stock Code: GAG

Important Notes & Disclaimer:

The above information should be used as a guide only and is not a guarantee or warranty. The New Guard Coatings Group and our supply / manufacturing partners have provided this information in good faith and to the best of our knowledge correct at the time of print. 'Guard' is a brand owned by New Guard Holdings Ltd.

No liability will be accepted for incorrect colours or any other failure by the customer to check before use. This does not affect your statutory rights.

www.newguardcoatings.com